

# Synthesis and Thermal Decomposition of Double Lithium-Aluminium Hydroxide Containing Copper Complex with Nitryltriacetic Acid

I. ALIYEV<sup>1</sup>, A. A. MIKHAYLOV<sup>1</sup>, L. D. MILA E. CH. AKHINA<sup>1</sup>, ALE E. CH. AKHIN<sup>2</sup>

<sup>1</sup>*Institute of Solid State Chemistry and Mechanochemistry, Siberian Branch of the Russian Academy of Sciences, Ul. Kutateladze 18, Novosibirsk 630128 (Russia)*

*E-mail: isupov@solid.nsk.su*

<sup>2</sup>*Novosibirsk State University, Ul. Pirogova 2, Novosibirsk 630090 (Russia)*


## Abstract


Å

## INTRODUCTION

**EXPERIMENTAL**

×

**RESULTS AND DISCUSSION**




---

Å                      I I

---

Å

Å

o

Å


Å


---

Å

Å

Å





**Acknowledgements**

**REFERENCES**

Å

J. M., ...  
 ... I, ... N, ...  
 ... N, ... M, ... II, M, ... N  
 ... P, ...

... N... K... 1 ...

P... L...

C...

D... AN

J. M... N... P...

... C = N...

C...

... N...

J. M...

N... N... I...